

**From:** Garcia-Bakarich, Luis [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8995B2CA97114A7C88D7FCFA0FB11D7B-LGARCIO2]  
**Sent:** 3/1/2017 4:11:45 PM  
**To:** Floyd. Megan [FloydM@saccounty.net]  
**Subject:** RE: Sacramento County ALE(s)

Luis M. Garcia-Bakarich (WTR 3-1)  
Drinking Water Management Section  
Water Division  
U.S. EPA Region IX  
75 Hawthorne St.  
San Francisco, CA 94105  
[garcia-bakarich.luis@epa.gov](mailto:garcia-bakarich.luis@epa.gov)  
Telephone: (415) 972-3237  
Fax (415) 947-3545

Megan Floyd, R.E.H.S  
Environmental Specialist  
Sacramento County Environmental Management Department  
10590 Armstrong Ave, Mather CA 95655  
(916) 876-7888  
(916) 875-8513 Fax

ED 005173 00002986-00001



CA3400149 Rancho Marina  
CA3400229 Rio Cosumnes Correctional Center  
CA 3400335 Holiday Mobile Village

All of those systems were issued Compliance Orders in October 2016. They have until March 10, 2017 to get me the remaining WQP results. Public Education Materials were provided in conjunction with the Public Notifications that were sent out with the Compliance Orders in October. So they are currently all being worked on.

CA3400332 Oxbow Marina

That system did exceed the Action Limit at one site but it did not cause the 90<sup>th</sup> percentile to increase over the Action Limit so no further testing was done on their part.

Lisa Jameson will be out of the office for a bit so if you have any further questions please feel free to contact me. Thank you

Megan Floyd, R.E.H.S  
Environmental Specialist  
Sacramento County Environmental Management Department  
10590 Armstrong Ave, Mather CA 95655  
(916) 876-7888  
(916) 875-8513 Fax

---

**From:** Garcia-Bakarich, Luis [<mailto:Garcia-Bakarich.Luis@epa.gov>]  
**Sent:** Thursday, February 23, 2017 8:05 AM  
**To:** Jameson, Lisa Jean; Floyd, Megan  
**Cc:** Rezvani, Ali@Waterboards; 'Killou, Wendy@Waterboards'  
**Subject:** Sacramento County ALE(s)

Hello Lisa,

As part of EPA's ongoing monitoring of lead and copper rule, we received a new round of PB90 information from SDWIS, and I wanted to check with you to verify the following Action Level Exceedances (ALE(s)) for lead:

CA3400149	RANCHO MARINA
-----------	---------------

0.064 mg/L 7/27/2016

CA3400229	RIO COSUMNES CORRECTIONAL CENTER [SWS]
-----------	--

20 mg/L 7/13/2016

CA3400332	OXBOW MARINA (SWS)
-----------	--------------------

0.078 mg/L 9/6/2016

CA3400335	HOLIDAY MOBILE VILLAGE
-----------	------------------------

35.2 mg/L 9/7/2016

- Public education was provided by the PWS;
- WQPs were collected; and
- any other action (e.g. CCT study) is required.

Luis

**County of Sacramento Email Disclaimer:** This email and any attachments thereto may contain private, confidential, and privileged material for the sole use of the intended recipient. Any review, copying, or distribution of this email (or any attachments thereto) by other than the County of Sacramento or the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments thereto.

**County of Sacramento Email Disclaimer:** This email and any attachments thereto may contain private, confidential, and privileged material for the sole use of the intended recipient. Any review, copying, or distribution of this email (or any attachments thereto) by other than the County of Sacramento or the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments thereto.